



REFLEX GAS FIRES

AMBIENCE BEYOND EXPECTATION

Blending cutting-edge technology with beautifully crafted, ultra-realistic logs, the Reflex range delivers a gas flame effect almost indistinguishable from a real wood fire.

Designed to offer the pinnacle of gas fire realism, Reflex fires are available in portrait, landscape, single-sided and multi-sided designs, with an array of sophisticated styling options.



We are proud to have been recognised as an award-winning manufacturer, for our high-quality products and innovative technology.

Find out more at [gazco.com/awards](https://www.gazco.com/awards)





Reflex 105-3 (three-sided fire) with EchoFlame Black Glass lining, with Right Open Corner Ventilation Bar

CHOOSING YOUR REFLEX...



REFLEX 75T

PAGES 10 - 11



*Square
Single-Sided*



REFLEX 105

PAGES 12 - 13



*Landscape
Single-Sided*



REFLEX 105 MULTI-SIDED

PAGES 14 - 15



*Two-Sided
Corner*



*Three-Sided
Panoramic*



WIN THE COST OF
YOUR PRODUCT
BACK!

by registering your product online for your free
extended warranty. See page 19 for details.

PEACE OF MIND

QUALITY AND INNOVATION OF THE HIGHEST STANDARD

When you choose Gazco, quality and innovation are assured. From traditional models to contemporary designs we are committed to creating the ultimate flame-effect gas and electric fires. Our research and development laboratories are amongst the most advanced in the world, ensuring that the very latest technologies are incorporated into our appliances.



Gazco is an ISO9001 and ISO14001 accredited company. Our rigorous quality control system ensures that all our appliances are safety checked and that they comply with the appropriate regulations, with all fires in this brochure bearing both the UKCA and CE mark. Similarly, our environmental management systems ensure we work in a sustainable manner, whilst endeavouring to protect the environment by minimising any possible impact from our operations. With 40 years of proven experience building quality gas fires, you can be confident that when you select a Gazco fire, you are getting the best of British design, engineering and manufacturing.



SEVEN YEAR EXTENDED WARRANTY

Your Gazco Expert Retailer will provide you with a Two Year Warranty for your new Reflex gas fire. This can be extended to a Seven Year Warranty by registering your fire with Gazco. Please note, these warranties exclude certain consumable parts. Full warranty terms and conditions are available to view at www.gazco.com.



EXPERT RETAILER NETWORK

We take great care to ensure that our fires are designed, tested and manufactured to the highest possible quality and safety standards. We are equally careful to make certain they are sold and installed correctly so you can enjoy years of pleasure from your fire.

Our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independent retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, to ensure that you select the most appropriate product for your home.

Our experienced retailers will also be able to advise on, or assist with, the installation process as well as help provide any after-sales support and servicing your appliance may require in the future. Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from purchasing the product only online and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision.

Furthermore, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers. You can find your nearest expert retailer by visiting:

www.gazco.com/retailers.

ENCHANTING EFFECTS

App-controlled if you choose, and effortlessly dynamic, three features create flames of extraordinary realism.



STUNNING FLAMES

The very heart of the Reflex's design, the flame visuals have been meticulously crafted to mimic a real woodburning fire. Featuring three carefully positioned dual burners, flames dance and flow among the logs and can be set to either front only or front and rear flames, with either setting independently adjustable and infinitely variable. Whether you're in the mood for a lazy fire or a dramatic blaze, you choose the atmosphere you desire. Ensuring a crystal-clear flame view, all Reflex fires feature non-reflective glass for a flawless, open-fire aesthetic.

ULTRA-REALISTIC LOG-EFFECTS

The natural beauty of burning wood logs is one of the most charming elements of a wood fire. Expert crafting techniques combined with cutting-edge technology make the Reflex log-effect indiscernible from natural logs - ensuring every minute detail of the wood's texture and grain is captured. Concealing the innovative dual burner system, this ultra-realistic fuel bed ensures an eye-catching centrepiece.

EMBERLIGHT LED BED

Encouraging intimate conversation and quiet reflection, a glowing hearth bathes the room in relaxing ambience and a soft glow. The Reflex's innovative EmberLight bed combines adjustable LED lighting with glass ember-effects, creating an immersive display which can be experienced with or without the flames - letting you enjoy the Reflex's glow all year round.



KEY FEATURES

- Adjustable LED lighting effects
- Non-reflective glass for a crystal-clear flame view
- Various lining options
- Optional app control from your phone or tablet
- EcoFlex gas saving mode
- Natural Gas or LPG
- Conventional or balanced flue fires*
- Harmony¹⁰ Programmable Thermostatic Remote Control
- Mantels available for the 75T Model



SEE REFLEX FIRES BURNING

The Reflex's spectacular flame visuals are impossible to capture in a still image.

To truly experience this stunning fire range, view the Reflex video on our website.



 Experience the Reflex:
gazco.com/reflex



*Balanced flue models deliver convected airflow back into the room via the enclosure into which the fire is built. Air vents are required at the top and bottom of the enclosure on both sides. Please see page 20 for more information.

COMPLETE CONTROL

Putting the Reflex's array of features at your fingertips, the effortless control system lets you create your desired ambience in blissful harmony.



HARMONY 10

Gazco's Harmony¹⁰ control system lets you ignite, extinguish or adjust the height and heat of both the front and rear flame. You can also adjust the brightness of the ambient EmberLight LED fuel bed. Giving you complete control over the Reflex's advanced features, the handset lets you maintain your chosen room temperature or program the fire to a daily or weekly schedule to fit your lifestyle. You can also adjust the Reflex's EcoFlex gas saving mode, which modulates the flame height almost imperceptibly, lowering gas usage whilst maintaining the natural rise and fall of a real wood fire.

- Ignite / extinguish flames
- Front and rear flame control
- Thermostatic Programmable schedule
- EcoFlex gas saving mode
- EmberLight LED bed (with or without flames)

HARMONY¹⁰

CONTROL SYSTEM

Find out more at
gazco.com/reflex



MYFIRE APP CONTROL

Reflex fires can be selected with optional Wi-Fi connectivity, which lets you use the MyFire app to control your fire from your smart phone or tablet device.


In addition to offering all of the features of the Harmony¹⁰ handset including easy flame and LED lighting control as well as programmable and thermostatic modes, this innovative app provides even greater control over your Reflex fire.

ECOFLEX GAS SAVING

The MyFire app allows you to fine-tune the Reflex's EcoFlex gas-saving mode, letting you switch between low, medium and high settings that save 45%, 25% or 10% gas depending on your choice. You can also select the length of the EcoFlex cycle with 15, 20 or 25 minute durations allowing you to choose the rhythm of the flames.

UNIQUE FLAME PROFILES

For increased convenience, the Reflex app lets you save your fire's settings in up to four different profiles. Create profiles for different seasons or even just to suit your mood. Should you have more than one Reflex fire in your home, you can also use the MyFire profiles to control each fire from a single tablet or smart phone.






REFLEX 75T

The Reflex 75T is ready for a frameless hole-in-the-wall, 'Edge' installation, offering a sleek and modern look. In addition to its contemporary design, the Reflex can be paired with a variety of elegant stone mantels, allowing you to create a beautiful traditional fireplace with all the benefits of a cutting-edge gas fire.

See additional images on pages 2, 16 and front cover.

LINING OPTIONS



EchoFlame Black Glass



Brick-effect



Black Reeded



Ledgestone-effect

KEY DETAILS

	Conventional Flue	Balanced Flue
Viewing Area Dimensions (W x H)	746mm x 711mm	745mm x 711mm
Maximum Heat Output	8.0kW	8.3kW
Efficiency	Up to 76%	Up to 92%
Energy Efficiency Class	D	A



Reflex 75T Edge with EchoFlame Black Glass lining.



REFLEX 105

Wider, expansive, but just as breathtaking – the Reflex 105 brings the same extraordinary realism as the Reflex 75T, in a striking landscape design. Perfect for sleek, frameless 'Edge' installations, its format presents a bold, contemporary statement.

LINING OPTIONS



EchoFlame Black Glass



Brick-effect



Ledgestone-effect

KEY DETAILS

	Conventional Flue	Balanced Flue
Viewing Area Dimensions (W x H)	1050mm x 552mm	1050mm x 552mm
Maximum Heat Output	9.5kW	10.2kW
Efficiency	Up to 76%	Up to 92%
Energy Efficiency Class	D	A



Reflex 105-2 (two-sided fire) with Corner Conversion Kit and EchoFlame Black Glass lining with Left Open Corner Ventilation Bars.



REFLEX 105 MULTI-SIDED

These elegantly contemporary fires allow for a beautifully bespoke fireplace, whether positioned centrally or in the corner of the room. Two-sided Reflex 105 fires are designed for corner installations and can be selected in their right or left corner formats to suit your home. The three-sided Reflex 105 fires feature a panoramic display for stunning visuals from any angle, with 180° views showing off the deep log composition and dancing flames.

See additional images on page 2 and rear cover.

LINING OPTIONS



EchoFlame Black Glass



Brick-effect



Ledgestone-effect

OPTIONAL VENTILATION BARS

To assist with ventilation and offer an alternative to building in 'shadow gaps' above and below the fire, Gazco also offer a range of neat open ventilation bars for all formats. **See page 20 for more information.**



Reflex 105-3 (three sided fire) with EchoFlame Black Glass lining.

KEY DETAILS

	Balanced Flue
Viewing Area Dimensions (W x H x D)	1136mm x 586mm x 232mm
Maximum Heat Output	11.1kW
Efficiency	89%
Energy Efficiency Class	B

REFLEX 75T

STONE MANTELS

The versatile Reflex 75T Edge can be combined with any one of Gazco's six stone mantels, matching slip sets and optional hearths for a traditional fireplace in elegant Limestone, making an inspiring centrepiece.



Victorian Corbel



Claremont



Georgian Roundel



Sandringham



Cavendish Bolection



Grafton

Product Code	Description	Frame Finish	W	H	D
9002CLTL	Claremont (requires slip set)	Limestone	1555mm	1143mm	190mm
9000CATL	Cavendish Bolection (requires slip set)	Limestone	1460mm	1320mm	207mm
9001GETL	Georgian Roundel (requires slip set)	Limestone	1460mm	1082mm	200mm
9003GRTL	Grafton (requires slip set)	Limestone	1415mm	1165mm	105mm
9004VITL	Victorian Corbel (requires slip set)	Limestone	1525mm	1170mm	250mm
9005SATL	Sandringham (requires slip set)	Limestone	1550mm	1220mm	227mm
934-121	Slip set for Reflex 75T Stone Mantel	Limestone	-	-	-
934-193	Small Hearth for Stone Mantel	Limestone	1524mm	53mm	228mm
934-351	Large Hearth for Stone Mantel	Limestone	1625mm	53mm	457mm



Reflex 75T Edge with EchoFlame Black Glass lining. Shown with Victorian Corbel limestone mantel, matching slip set.

REFLEX 75T TECHNICAL INFORMATION

FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Lining
191-029	Conventional Flue	Nat Gas	11.5kW	7.9kW	D	76%	Black Reeded
191-033	Conventional Flue	Nat Gas	11.5kW	7.9kW	D	76%	Fluted Vermiculite
191-045	Conventional Flue	Nat Gas	11.5kW	7.9kW	D	76%	Brick-effect
191-062	Conventional Flue	Nat Gas	11.5kW	7.9kW	D	76%	Black Glass
191-459	Conventional Flue	LPG	11.5kW	8.0kW	D	76%	Black Glass
191-051	Conventional Flue	Nat Gas	11.5kW	7.9kW	D	76%	Ledgestone-effect
 191-082	Balanced Flue	Nat Gas	10.0kW	8.3kW	A	92%	Black Reeded
 191-094	Balanced Flue	Nat Gas	10.0kW	8.3kW	A	92%	Fluted Vermiculite
 191-106	Balanced Flue	Nat Gas	10.0kW	8.3kW	A	92%	Brick-effect
 191-127	Balanced Flue	Nat Gas	10.0kW	8.3kW	A	92%	Black Glass
 191-528	Balanced Flue	LPG	9.8kW	8.3kW	A	92%	Black Glass
 191-111	Balanced Flue	Nat Gas	10.0kW	8.3kW	A	92%	Ledgestone-effect


 All fires shown with the symbol opposite have the advantage of not normally requiring an air vent* where the air permeability is greater than 5.0m³/hr/m². See page 23 for more details

*Requirements in the Republic of Ireland are different.


ACCESSORIES

Product Code	Description
991-021	Black Reeded Lining Set - 75T Conventional Flue
991-005	Brick-effect Lining Set - 75T Conventional Flue
991-076	Black Glass Lining Set - 75T Conventional Flue
991-138	Ledgestone-effect Lining Set - 75T Conventional Flue
934-037	Black Reeded Lining Set - 75T Balanced Flue
934-077	Brick-effect Lining Set - 75T Balanced Flue
934-091	Black Glass Lining Set - 75T Balanced Flue
934-086	Ledgestone-effect Lining Set - 75T Balanced Flue
999-055	Wi-Fi Control Kit (suitable for new fires at time of purchase)
928-315	Chimney Renovation Kit (Balanced Flue Only)

CONVENTIONAL FLUE DIMENSIONS (MM)



BALANCED FLUE DIMENSIONS (MM)



REFLEX 105 TECHNICAL INFORMATION

FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Lining
191-182	Conventional Flue	Nat Gas	13.9kW	9.5kW	D	76%	Black Glass
 191-245^	Balanced Flue	Nat Gas	12.0kW	9.9kW	A	92%	Black Glass


 All fires shown with the symbol opposite have the advantage of not normally requiring an air vent* where the air permeability is greater than 5.0m³/hr/m². See page 23 for more details

*Requirements in the Republic of Ireland are different. ^Requires 8" flue system.

ACCESSORIES

Product Code	Description
991-351	Brick-effect Lining Set - 105 Conventional Flue
991-393	Black Glass Lining Set - 105 Conventional Flue
991-364	Ledgestone-effect Lining Set - 105 Conventional Flue
991-447	Brick-effect Lining Set - 105 Balanced Flue
191-495	Black Glass Lining Set - 105 Balanced Flue
991-461	Ledgestone-effect Lining Set - 105 Balanced Flue
999-055	Wi-Fi Control Kit (suitable for new fires at time of purchase)
999-019	Reflex 105 Chimney Renovation Kit (Balanced Flue Only)

DIMENSIONS (MM)



	A	B	C	D	E	F	G	H	I	J	K	L
6" Reflex 105 CF Nat Gas / LPG	736	1216	1050	551.5	343	326	216	17	715	765	109	1140
8" Reflex 105 BF Nat Gas / LPG	736	1216	1050	551.5	361	344	211	17	709	793	109	1140





Reflex 105 Edge with Ledgestone effect Lining.

WIN THE COST OF YOUR PRODUCT BACK!



For further home inspiration you can view real life installations at our Customer Showcase page and share your thoughts and photos of your new stove or fire installation to enter our draw!

- We will publish your entry on our Customer Showcase
- You will be entered into a draw for the chance to win the cost of your product back.
- **Gain a second entry** by registering your product online for your free extended warranty at gazco.com/registration

View real life installations and submit your review at: gazco.com/customershowcase

*Terms and conditions apply. See online for details.

PREVIOUS WINNER!



"I am astounded how lovely and warm this fire is"

"A warm welcome awaits"

"Really happy with the stove. I still can't believe it!"

REFLEX 105 MULTI-SIDED TECHNICAL INFORMATION

FIRE INFORMATION

Product Code	Flue Type	Gas Type	Heat Input	Heat Output	Energy Efficiency Class	Efficiency	Lining
191-040 [^]	Balanced Flue	Nat Gas	12.5kW	10.0kW	B	89%	Black Glass


 All fires shown with the symbol opposite have the advantage of not normally requiring an air vent[^] where the air permeability is greater than 5.0m³/hr/m². See page 23 for more details

[^]Requirements in the Republic of Ireland are different. [^]Requires 8" flue system.

ACCESSORIES

Product Code	Description
991-247	Reflex 105-3 Balanced Flue - Brick Effect Lining Set
991-388	Reflex 105-3 Balanced Flue - Ledgestone Effect Lining Set
991-056	Reflex 105-3 Balanced Flue - Black Glass Lining Set
991-011	Reflex 105-2 Balanced Flue - Brick Effect Lining Set
991-129	Reflex 105-2 Balanced Flue - Ledgestone Effect Lining Set
991-262	Reflex 105-2 Balanced Flue - Black Glass Lining Set
999-055	WIFI Control Kit

DIMENSIONS (MM)



CORNER CONVERSION KITS

Product Code	Description
991-023	Reflex 105-2 Corner Conversion Kit - Brick Effect*
991-085	Reflex 105-2 Corner Conversion Kit - Ledgestone*
991-161	Reflex 105-2 Corner Conversion Kit - Black Glass*

*Whilst Stocks Last

BALANCED FLUE OPTIONS

Product Code	Description
999-227	8" Rear Exit, Flue Kit (inc Terminal Guard)
999-333	8" Top Exit, Up and Out Kit
999-352	Top Flue Vertical Kit (inc 8" to 6" adapter)

OPEN VENTS

Product Code	Description
991-609	Left Open Corner Vent 60 x 40 x 6cm, White*
991-620	Right Open Corner Vent 60 x 40 x 6cm, White*
991-643	Open Vent 80 x 6cm, White*

*Whilst Stocks Last



Left Open Ventilation Bar



Right Open Ventilation Bar



Open Ventilation Bar

ALSO AVAILABLE FROM GAZCO ·

In addition to the Reflex range shown in this brochure, Gazco and Onyx offers an extensive portfolio of strikingly realistic gas and electric products. These stylish fires and stoves can be found in our other dedicated brochures at [gazco.com/brochures](https://www.gazco.com/brochures).




Whether your taste is contemporary or traditional, there is a Gazco or Onyx product to suit your home. Gazco's range spans anything from the classic-styled freestanding gas stove to the ultra-modern colour-changing flames of a hang-on-the-wall electric fire. For those seeking the pinnacle of luxury design and innovation, Onyx's electric and gas fire ranges offer statement aesthetics with exceptional flame realism. Whichever brand you choose, each brings a wealth of realistic flames, high efficiency heat, and installation versatility to suit your needs.

BALANCED FLUE OPTIONS


Gazco offers a comprehensive range of balanced flue system components. Please refer to our dedicated Concentric Flue System brochure and individual product instruction manuals, which can be viewed online at www.gazco.com. Please note that the Reflex 105 BF and 105 Multi-sided have been designed with a flue collar size of 8", whereas the Reflex 75T BF has a flue collar of 6".

UP AND OUT KIT FOR 6" REFLEX 75T




TOP FLUE VERTICAL KITS FOR 6" REFLEX 75T & 8" REFLEX 105 & 105 MULTI-SIDED

PLEASE NOTE:
This Reflex 105 Vertical Kit includes an 8" to 6" flue adapter. It is essential when ordering additional parts to consult the table in the instruction manual for the relevant part numbers, which can be found at on the individual product pages at www.gazco.com





CHIMNEY RENOVATION KITS FOR 6" REFLEX 75T & 8" REFLEX 105 & 105 MULTI-SIDED

This innovative kit allows balanced flue Reflex fires to be installed into an existing fireplace opening. Using the kit, all Reflex fires have the option of a two-liner installation. In addition, Reflex 75T and 105 fires also have the option of a single liner, which uses the masonry chimney to bring in air. Please note, due to their different flue collar sizes, Reflex 75T and 105 balanced flue fires require different renovation kits. Your retailer will be able to advise on your specific requirements.



8" TOP FLUE AND OUT KIT FOR REFLEX 105 & 105 MULTI-SIDED

This product is designed for and requires an 8" flue system for greater installation flexibility with the Top Flue Up and Out Kit. It is essential when ordering additional parts to consult the table in the instructions for the relevant part numbers.



FURTHER INFORMATION

AIR VENTILATION FOR GAS FIRES

To comply with gas appliance installation regulations, all conventional flue Reflex fires require additional ventilation into your room. All fires shown with the symbol  opposite have the advantage of not normally requiring an air vent* where the air permeability is greater than 5.0m³/hr/m². Please consult either your Gazco retailer or the Gazco Technical Information on our website: www.gazco.com to confirm the ventilation required. Please be aware that balanced flue models still require adequate enclosure venting of warm air back into the room, as explained below.

COLOURS / FLAME PICTURES

Owing to various in studio lighting and printing inks, the finishes / colours of fires illustrated in this brochure may differ slightly from actual models. Before purchasing, please ask your retailer to show you finish samples.

All flame pictures shown in this brochure are taken from real fires. Please note however that flame picture will vary depending on flue conditions and surrounding geographical features. Some of the photography in this brochure may not comply with the requirement of the latest building regulations given as these are subject to constant change. You should always check your proposed installation arrangement with a qualified gas installer before proceeding.

SERVICING AND SUPPORT

To keep your Reflex looking and performing at its best, it must be serviced annually. This service must be undertaken by a GasSafe (Great Britain) or RGI (Registered Gas Installer) (Republic of Ireland) approved engineer and your retailer can organise this for you. Alternatively, Gazco offer a manufacturers premium service with our friendly team of qualified engineers which can be booked at www.gazco.com/support.



INSTALLATION AND SAFETY

Gazco gas fires must be fitted by a qualified gas installer (Gas Safe registered in the United Kingdom or RGI (Registered Gas Installer) in the Republic of Ireland) who should also verify the proposed site conditions are fully suitable for the product selected. Complete installation instructions for many models can be obtained prior to purchase by viewing or downloading them from: www.gazco.com.

When designing your own installation, please also observe the minimum distance to combustible materials as stated in the installation instructions. Please note that all parts of these fires, particularly the glass panel in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:(latest version) is used in the presence of young children, the elderly or infirm.

**Requirements in the Republic of Ireland are different.*

BALANCED FLUE CONVECTED WARM AIRFLOW

Balanced flue models heat the room with convected warm air via the chimney breast or enclosure into which the appliance is installed. The void around the fire must be ventilated at both low and high levels on both sides to prevent heat build up. These vents take cold air from the room and return it back into the room as warm air. Care must be taken to comply with clearance to combustible materials as detailed in the instruction manual.

To assist with ventilation and offer an alternative to building in 'shadow gaps' above and below the Reflex 105 Multi-Sided, Gazco also offer a range of neat open ventilation bars for all formats. See page 20 for options.



Reflex 105-2 (two-sided fire) with EchoFlame Black Glass lining.



Stovax Gazco, Spitfire Avenue, Skypark, Clyst Honiton, Exeter, EX5 2FR

Trade Sales: 01392 261999 • Email: info@gazco.com

gazco.com   

Gazco gratefully acknowledges the assistance of the following companies with photographic settings:

www.furniturevillage.co.uk; www.theorangetree.co.uk; www.johnlewis.com; www.wayfair.com; www.birlea.com; www.originalstyle.com; www.chunkymonkeyfurniture.co.uk;
www.wallsandfloors.co.uk; www.desenio.co.uk; www.ikea.com

Paper sourced from sustainable forests and printed using vegetable-based inks • © All material copyright Stovax Gazco Ltd 2025 E & O E • A member of the Stovax group

Gazco pursue a policy of continuous product improvement, therefore, whilst our products are correct at the time of the photography, we reserve the right to make alterations and amendments. Exact product details should be discussed with your retailer at the time of purchase.



FIND YOUR EXPERT RETAILER

You can find your nearest retailer by visiting:
www.gazco.com/retailers

Your Gazco stockist:

Ref: REFLEXBRO0525

